

## WALL MOUNT CABINETS

Techlogiks wall mount cabinets are available in two types, Single Section and Double Section ranging from 6U to 18U height. It has front glass door with lock and can be mounted on a wall or placed on floor. Optional accessories like Fan, Fixed Shelf, and Power Distribution Unit are available.

### Single Section Cabinets



#### Standards:

- ANSI/EIA RS-310-D, DIN41491; PART1, IEC297-2,
- DIN41494; PART7, GB/T3047.2-92 standard.
- Compatible with metric, ETSI and 19' international standard


#### Features & Benefits:

- Exquisite design with precise dimension and craftsmanship.
- International popular smoky-gray glass front door.
- Easily be mounted on wall, or placed on floor.
- Loading capacity: 60KG.
- Top and bottom wiring channel could be closed.
- Removable front door and side panel.
- Degreased, acid cleaned, phosphoric, water cleaned Surface.
- Electro-static powder coating, meet ROHS standard.
- Optional color: black/gray.


SI#	Specification	Quantity	Material
1	Frame	2	Powder coated 1.2mm cold rolled steel
2	Front door	1	1.2mm cold rolled steel
3	Side door	2	Powder coated 1.2mm cold rolled steel
4	Lock	1	
5	Mounting rail	4	Powder coated 1.5mm cold rolled steel
6	Mounting plate	1	Powder coated 1.2mm cold rolled steel
7	Cable Inlet cap	2	Powder coated 1.2mm cold rolled steel
8	Cage and nuts	10	
9	Wrench	1	




### STRUCTURAL (WALL MOUNT)



### DIMENSION (WALL MOUNT) (MM)



**DOORS**



**Wall Mount Cabinet – Single Section**

PART NUMBER	WIDTH MM	DEPTH MM	HEIGHT MM	HEIGHT U	CARTON SIZE	VOLUME
TL-WM-6USS450	600	450	368	6	670 x 520 x 430	0.15
TL-WM-6USS600		600				
TL-WM-9USS450	600	450	501	9	670 x 520 x 560	0.20
TL-WM-9USS600		600				
TL-WM-12USS450	600	450	635	12	670 x 520 x 700	0.24
TL-WM-12USS600		600				
TL-WM-15USS450	600	450	769	15	670 x 520 x 830	0.29
TL-WM-15USS600		600				
TL-WM-18USS450	600	450	901	18	670 x 520 x 960	0.33
TL-WM-18USS600		600				
TL-ONU-12U150FL	600	150	600	12	610 x 610 x 160	0.06
TL-ONU-12U300FL		300				
TL-ONU-12U42x15FL	420	150	600	12	610 x 430 x 160	0.04
TL-ONU-40x40x20FL	400	200	400	9	610 x 410 x 210	0.05
TL-ONU-40x40x15FL		150				
TL-ONU-40x40x12FL		120				
TL-ONU-12U150WM	600	150	600	12	610 x 610 x 160	0.06
TL-ONU-12U300WM		300				
TL-ONU-12U42x15WM	420	150	600	12	610 x 430 x 160	0.04
TL-ONU-40x40x20WM	400	200	400	9	610 x 410 x 210	0.05
TL-ONU-40x40x15WM		150				
TL-ONU-40x40x12WM		120				

WALL MOUNT CABINETS



**ORDERING INFORMATION**

PART NUMBER	DESCRIPTION
TL-WM-6USS450	Techlogiks 6U 600x450 Wall Mount Cabinet Single Section
TL-WM-6USS600	Techlogiks 6U 600x600 Wall Mount Cabinet Single Section
TL-WM-9USS450	Techlogiks 9U 600x450 Wall Mount Cabinet Single Section
TL-WM-9USS600	Techlogiks 9U 600x600 Wall Mount Cabinet Single Section
TL-WM-12USS450	Techlogiks 12U 600x450 Wall Mount Cabinet Single Section
TL-WM-12USS600	Techlogiks 12U 600x600 Wall Mount Cabinet Single Section
TL-WM-15USS450	Techlogiks 15U 600x450 Wall Mount Cabinet Single Section
TL-WM-15USS600	Techlogiks 15U 600x600 Wall Mount Cabinet Single Section
TL-WM-18USS450	Techlogiks 18U 600x450 Wall Mount Cabinet Single Section
TL-WM-18USS600	Techlogiks 18U 600x600 Wall Mount Cabinet Single Section
TL-ONU-12U150FL	Techlogiks ONU Cabinet Flush mounted 600x600x150
TL-ONU-12U300FL	Techlogiks ONU Cabinet Flush mounted 600x600x300
TL-ONU-12U42x15FL	Techlogiks ONU Cabinet Flush mounted 600x425x150
TL-ONU-40x40x20FL	Techlogiks ONU Cabinet Flush mounted 400x400x200
TL-ONU-40x40x15FL	Techlogiks ONU Cabinet Flush mounted 400x400x150
TL-ONU-40x40x12FL	Techlogiks ONU Cabinet Flush mounted 400x400x125
TL-ONU-12U150WM	Techlogiks ONU Cabinet Wall mounted 600x600x150
TL-ONU-12U300WM	Techlogiks ONU Cabinet Wall mounted 600x600x300
TL-ONU-12U42x15WM	Techlogiks ONU Cabinet Wall mounted 600x425x150
TL-ONU-40x40x20WM	Techlogiks ONU Cabinet Wall mounted 400x400x200
TL-ONU-40x40x15WM	Techlogiks ONU Cabinet Wall mounted 400x400x150
TL-ONU-40x40x12WM	Techlogiks ONU Cabinet Wall mounted 400x400x125